

Page 1 of 6 WP-130

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0

SDS Revision Date: 12/31/2013

1.1	Product Name:	⊔ ∩N	DY DIIVI	DIIMD C	CTEN	1 EI	חוו							
1.2	Chemical Name:		DA DUAL	PUIVIP 3	ISIEN	IFL	עוט							
			ım Oil Mixture											
.3	Synonyms:	NA	2 15 0	FI										
.4	Trade Names:		Dual Pump Syst	iem Fluid										
.5	Product Use:		tive Lubricant											
.6	Distributor's Name:	Worldp												
.7	Distributor's Address:		lickory Street, N											
.8	Emergency Phone:	INFO	TRAC: +1 (8	00) 535-505	3 / +1 (352) (323-3	500 (CON	ITRA	CT 8	426 1)		
.9	Business Phone / Fax:	+1 (510) 608-5525 / +1	(510) 742-926	52									
			2. HA	ZARDSI	DENT	FIC	ATIC	N						
.1	Hazard Identification:	This pro	duct is classifie						ngeroi	is doo	ds acc	cordina	to	
	Tidada Taonimodioni		sification criteria								a5 a60	Jording		
			R! MAY BE F								Y CA	AUSE A	AN	
			GIC SKIN REA											
			Statements (H)		be fatal i	f swall	lowed	and er	nters a	airways	. H3	17 – N	lay	
			n allergic skin r		\ \A/		Constant				Doo	4 : 040		
			ionary Stateme OWED: Immed											X
			vomiting. P26											
			not be allowed											/ \
			nd water. P333											\ :
			For specific t											
			nated clothing								- D	ispose	of	
	F" . /F		s/container to lic						, ,					
2	Effects of Exposure:	Eyes:		oduct can cau	use transi	ent mil	ld eye	irritatio	on with	h shor	t-term	contac	ct with I	iquid sprays
		China	mists.		سه ادائدت د		ا سادات ا						_	
		Skin:	•	oduct can cau	-							•		
		Ingestic		owed, no sign If aspirated into										ause a laxati
		Inhalatio	on: No sig	nificant advers	se health	effects	s are	expect	ted to	occur	upon	short-	term ex	cposure to the
			produc	t. Aspiration of	liquid into	the lu	ıngs ca	n caus	se seve	ere lun	g dan	nage or	death.	
3	Symptoms of Overexposure:	Eyes:	Irritatio	n, redness, an	d watering	J.								
		Skin:	Possib	le irritation, def	atting, or	derma	titis (ra	ısh), ch	naracte	erized l	oy dry	, scalin	ıg, red, i	tching skin.
		Ingestio	_	e effects. Gas	strointestir	al disc	comfort	t, naus	ea and	d head	ache.			
		Inhalatio		ause irritation t		er resp	oiratory	/ syste	m. O\	verexp	osure	to spra	ays or m	nists may cau
				al pneumonitis										
4	Acute Health Effects:		e irritation to ey											
5	Chronic Health Effects:		ed or repeated											
			tis) or oil acne le workplace ex											ntrations abo
6	Target Organs:				cari cause	respii	ialory i	mano	11 01 01	nei pu	ШОПа	ily elle	CIS.	
_	1 3 3	Lungs, t	ipper respirator	y tract, skiii.										
		2 (OMPOSITI	ON 8 INC	PENI	ENIT	INIE		/ A T	ION				
		<u> 3. C</u>	JIVIPUSITI	ON & INC	ועםאנ		IINE	UKI			MAITO IN	LAID (
						ΔC	GIH		NOHSC		IVII I S II	N AIR (m		
							pm		ppm			ppm		1
								ES-	ES-	ES-		126.11		
	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
<u>IEMI</u>	OAL NAME(O)	NA	NA	NA	60-100	(5)	(10)	(5)	NA	NA	(5)	(10) *	(2500)	* NIOSH

NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 6

SAFETY DATA SHEET WP-130 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 4. FIRST AID MEASURES 4 1 First Aid: Ingestion: DO NOT INDUCE VOMITING. Contact Infotrac +1 (800) 535-5053 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 Eyes: minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists Skin: and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Medical Conditions Aggravated by Persons with pre-existing central nervous system (CNS) HEALTH Exposure: disease, neurological conditions, skin disorders, chronic **FLAMMABILITY** 1 respiratory diseases, or impaired liver or kidney function should PHYSICAL HAZARDS 0 avoid exposure. PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers. Avoid all ignition sources such as sparks, heat and open flames. Product or residue can ignite explosively. If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx), smoke, hydrocarbons and their derivatives, metal oxides, hydrogen sulfide (H₂S), aldehydes & other toxic pyrolysis products. Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical, low velocity water fog, Halon (if permitted) 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Treat as hot oil. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Spills Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a noncombustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., oxidizers, strong acids, alkalis) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. . Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean-up and decontaminate

containers. Use appropriate containment to avoid environmental contamination.

Empty containers may retain hazardous product residues.

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in closed containers. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10) and food/drink. Protect containers from physical damage. Do not store in unlabeled

any spills or residues.

Storage & Handling:

Special Precautions:

7.2

7.3

Page 3 of 6 SAFETY DATA SHEET WP-130 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eve-wash station) 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eve Protection: Avoid eye contact. Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU) 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. 8.5 Body Protection: Not required under normal conditions of use. A chemical resistant apron and/or protective clothing are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product. Protective working garments should meet EU Standard EN 344 or equivalent. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Viscous amber liquid 9.2 Odor Mild petroleum odor Odor Threshold: 9.3 NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling Range: NA 9.7 Flashpoint: > 302 °C (> 576 °F) 9.8 Upper/Lower Flammability Limits: NA 9.9 Vapor Pressure: NA Vapor Density: 9.10 NA Relative Density: 9.11 NA Solubility: 9 12 Insoluble Partition Coefficient (log Pow): 9 13 NA 9 14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9 16 Viscosity: NA 9 17 Other Information: NA 10. STABILITY & REACTIVITY This product is stable under normal storage and use conditions. 10.1 Stability Hazardous Decomposition Products: 10.2 Oxides of carbon (CO, CO₂), sulfur (SO_x), and nitrogen (NO_x). 10.3 Hazardous Polymerization Will not occur. 10.4 Open flames, high heat and direct sunlight. 10.5 Incompatible Substances Strong oxidizing agents, acids or alkalis. **TOXICOLOGICAL INFORMATION** Ingestion: YES Routes of Entry: Inhalation: NO Absorption: YES 11.1 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this mixture, found in scientific literature, are presented below: Petroleum Oils: LD₅₀ (oral, rat) > 5000 mg/kg; LD₅₀ (dermal, rabbit) > 2000 mg/kg; LD₅₀ (inhalation, rat) > 5000 mg/m³. 11.3 Acute Toxicity: See section 2.4 11.4 Chronic Toxicity: See section 2.5 11.5 Suspected Carcinogen: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. Dimethyl sulfoxide (DMSO), if present at all, is in a concentration of less than 1.0 %. 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenicity effects in humans Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.

Treat symptomatically. Contact a poison treatment specialist if a large quantity was ingested or inhaled.

11 7

11.8

11.9

Irritancy of Product:

Biological Exposure Indices:

Physician Recommendations:

See Section 2.3



Page 4 of 6 **WP-130**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: Analysis for ecological effects has not been conducted on this product. However, if spilled, this product and any contaminated soil or water may be harmful to human, animal, and aquatic life. Also, the coating action associated with petroleum and petroleum products can be harmful or fatal to aquatic life and waterfowl. 12.2 Effects on Plants & Animals: An environmental fate analysis has not been conducted on this specific product. However, plants and animals may experience harmful or fatal effects when coated with petroleum-based products. 12.3 Effects on Aquatic Life: Petroleum-based (mineral) lube oils will normally float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway can result in a loss of marine life or create an anaerobic environment. This material contains phosphorus which is a controlled element for disposal in effluent waters in most sections of North America. Phosphorus is known to enhance the formation of algae. Severe algae growth can reduce oxygen content in the water possibly below levels necessary to support marine life. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. The generation of waste should be 13.1 avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. Dispose of surplus and non-recyclable products through a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should, at all times, comply with the requirements of environmental protection and waste disposal legislation and any regional or local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Special Considerations: 132 Used oil may be recyclable. Contact the federal, state or provincial environmental authority to determine suitability for recycling and or proper disposal requirements. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/IC IMDG, SCT, ADGT, ADR and the CTDGR 49 CFR (GND): NOT REGULATED 14 2 IATA (AIR) **NOT REGULATED** IMDG (OCN): 14 3 NOT REGULATED TDGR (Canadian GND): 14.4 NOT REGULATED 14.5 ADR/RID (EU) **NOT REGULATED** SCT (MEXICO): 146 NOT REGULATED ADGR (AUS): 14.7 NOT REGULATED 15. REGULATORY INFORMATION This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. SARA Reporting Requirements: 15.1 15.2 SARA Threshold Planning Quantity: 15.3 TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. CERCLA Reportable Quantity (RQ): 15.4 NA Other Federal Requirements: 15.5 NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): R36/37/38-51/53-65 - Irritating to eyes, respiratory system and Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful - may cause lung damage if swallowed. Safety Phrases (S): S(2)-23-24-62 - Keep out of the reach of children. Do not breathe mists/vapors/spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.



Page 5 of 6 **WP-130**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013

16. OTHER INFORMATION									
16.1	DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAY. May cause an allergic skin reaction Wear protective gloves/eye protection. If swallowed, immediately call a Poison Center or doctor/physician. Avoic breathing mist/sprays. If skin irritation or rash occurs: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.								
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.							
16.3	Disclaimer:	Other government regulations must be rev Worldpac's knowledge, the information conta suitability or completeness is not guarante provided. The information contained herein	t to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. iewed for applicability to this product. To the best of ShipMate's & sined herein is reliable and accurate as of this date; however, accuracy, ed and no warranties of any type, either expressed or implied, are relates only to the specific product(s). If this product(s) is combined as must be considered. Data may be changed from time to time. Be						
16.4	Prepared for:	Worldpac, Inc. 37137 Hickory Street Newark, CA 94560 USA Tel: +1 (510) 608- 5525 Fax: +1 (510) 742-9262 http://www.worldpac.com	WORLDPAC ::::iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii						
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* ShipMate* Dangerous Goods Training & Consulting						



Page 6 of 6 **WP-130**

following:

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

that

SDS Revision Date: 12/31/2013

include

used

DEFINITION OF TERMS

A large	Hullibel	UI	appleviations	anu	acionymis	appeai	UII	а
GENERAL I	NFORMA	TION:						
CAS No.	Chemical Abstract Service Number							
EXPOSURE	LIMITS I	N AIR	:					
ACGIH	America	American Conference on Governmental Industrial Hygienists						
TLV	Threshol	Threshold Limit Value						
OSHA	U.S. Occ	U.S. Occupational Safety and Health Administration						
PEL	Permissi	Permissible Exposure Limit						
IDLH	Immedia	tely Da	ngerous to Life a	nd Healt	h	•		

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	2 Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			

HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Е			
F			

G				
Н				
I				
J				
K	e e		A	(
Х	Consult for speci	your sup	ervisor or ng directi	SOPs ons.























OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

Some of these HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
W	Use No Water				
ОХ	Oxidizer				
TREFOIL	Radioactive				

TOXICOLOGICAL INFORMATION:

I OXICOLOGICAL IIVI	Ortini trioiti
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or TC,	Lowest dose (or concentration) to cause lethal or toxic effects
TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

commonly

REGULATORY INFORMATION

REGULATO	ORY INFORMATION:
WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	((4)	\odot	®		(iii)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

F.I.		M	*		Q	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment

