

Safety Data Sheet



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name 538AD Germ-X Hand Sanitizer - Morning Fresh

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer

Uses advised against Use only as directed.

Details of the supplier of the safety data sheet

Supplier Name Vi-Jon Inc. Supplier Address Vi-Jon Inc.

8800 Page Avenue

Saint Louis MO 63114 US

Supplier Phone Number Phone: 314-427-1000 (M-F 8am-4pm CST)

Fax:3144271010

Supplier Email info@vijon.com

Emergency telephone number Chemtrec: 1-800-424-9300 (24-Hour)



2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Flammable liquid and vapor



Appearance: Clear to Slightly Hazy, Physical State: Viscous Liquid Odor: Alcohol, Fresh

Pale Blue, Viscous Liquid

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.218% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life with long lasting effects

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

May cause slight eye irritation

Interactions with Other Chemicals

None



3. COMPOSITION/INFORMATION ON INGREDIENTS **Chemical Name** CAS No. **Trade Secret** Weight-% Ethyl Alcohol 62 %v/v 64-17-5 50-100 Benzophenone-4 4065-45-6 0-10 3844-45-9 0-10 * Blue 1 * Carbomer Proprietary 0-10 0-10 Fragrance Proprietary * Glycerin 56-81-5 0-10 Isopropyl Alcohol 67-63-0 0-10

110-27-0

7695-91-2

0-10

0-10

10-50

4. FIRST AID MEASURES

First aid measures

Isopropyl Myristate

Tocopheryl Acetate

Water

General Advice

Call 911 or emergency medical service. Remove and isolate contaminated clothing and shoes.

If symptoms persist, call a physician, Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact

In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.

Ingestion

Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.



⁷⁷³²⁻¹⁸⁻⁵ *The exact percentage (concentration) of composition has been withheld as a trade secret

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable Extinguishing Media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Flammable Liquid: I-C

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.
Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for ContainmentA vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for

later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Keep in an area equipped with sprinklers. Avoid contact

with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

Incompatible Products Strong oxidizing agents. Acids. Chlorinated compounds.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|--------------------------------|---|------------------------------|
| Ethyl Alcohol 62% v/v | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm 10% LEL |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | |
| Glycerin | TWA: 10 mg/m ³ mist | TWA: 15 mg/m ³ mist, total | |
| 56-81-5 | | particulate | |
| | | TWA: 5 mg/m ³ mist, respirable | |
| | | fraction | |
| | | (vacated) TWA: 10 mg/m ³ mist, | |
| | | total particulate | |
| | | (vacated) TWA: 5 mg/m ³ mist, | |
| | | respirable fraction | |
| Isopropyl Alcohol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm 10% LEL |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 400 ppm | TWA: 400 ppm |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Viscous Liquid

Appearance Clear to Slightly Hazy, Pale Blue, Odor Alcohol, Fresh

Viscous Liquid

Color Pale Blue **Odor Threshold** No information available

Property Values Remarks/ Method

7.5 None known pН Melting / freezing point No data available None known Boiling point / boiling range None known No data available Flash Point 23 C / 73 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
Vapor pressure
No data available

None known Vapor density No data available None known **Specific Gravity** 0.90 None known **Water Solubility** Miscible in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing PropertiesNo data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available

No data available

No data available

10. STABILITY AND REACTIVITY

None known

R eactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames, and sparks.

Incompatible materials

None known.

Hazardous Decomposition Products

Carbon oxides.

Other Adverse Effects

No information available.

When used in accordance with the directions.



11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|---------------------|------------------------|-----------------------|
| Ethyl Alcohol 62% v/v 64-17-5 | - | - | = 124.7 mg/L (Rat)4 h |
| Glycerin 56-81-5 | - | > 10 g/kg (Rabbit) | - |
| Isopropyl Alcohol 67-63-0 | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rabbit) | = 16000 ppm (Rat) 8 h |
| Isopropyl Myristate 110-27-0 | > 10000 mg/kg (Rat) | = 5 g/kg (Rabbit) | > 41 mg/L (Rat) |
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------------|-------|---------|-------|------|
| Ethyl Alcohol 62% v/v | A3 | Group 1 | Known | X |
| 64-17-5 | | | | |
| Blue 1 | | Group 3 | | |
| 3844-45-9 | | · | | |
| Isopropyl Alcohol | | Group 3 | | X |
| 67-63-0 | | · | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive ToxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Chronic Toxicity None

Target Organ Effects Blood. Central Nervous System (CNS). Eyes. Liver. Reproductive System. Respiratory

system. Skin. Kidney. Spleen. Systemic Toxicity.

Aspiration Hazard No information available.



Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

228.70 mg/l

ATEmix (inhalation-vapor)

1,872.36 ATEmix

12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Do not reuse empty containers.

US EPA Waste Number D001
California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide 127

Number

TDG

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group |||

Description UN1170, ETHANOL, 3, PG III

<u>MEX</u>

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group |||

Description UN1170, ETHANOL, 3, III

ICAO

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, PG III



IATA

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, PG III

IMDG/IMO

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group III
EmS No. F-E, S-D

Description UN1170, ETHANOL, 3, PG III, FP 34C

RID

UN-No. UN1170

Proper Shipping Name ETHANOL (ETHYL ALCOHOL)

Hazard Class 3
Packing Group III
Classification code F1

Description UN1170, ETHANOL (ETHYL ALCOHOL), 3, III

<u>ADR</u>

UN-No. UN1170

Proper Shipping Name ETHANOL (ETHYL ALCOHOL)

Hazard Class 3
Packing Group III
Classification code F1
Tunnel restriction code (D/E

Description UN1170, ETHANOL (ETHYL ALCOHOL), 3, III

ADN

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group III
Classification code F1
Special Provisions 144, 601

Description UN1170, ETHANOL, 3, III

Hazard Labels3Limited QuantityLQ7VentilationVE01



15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

IECSC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------|---------|----------|----------------------------------|
| Isopropyl Alcohol - 67-63-0 | 67-63-0 | 0 - 10 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardYesSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65 - NONE

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------------|------------|---------------|--------------|--------------|----------|
| Ethyl Alcohol 62% v/v | | X | | | |
| 64-17-5 | | | | | |
| Blue 1 | | X | | | |
| 3844-45-9 | | | | | |
| Glycerin | X | X | X | X | |
| 56-81-5 | | | | | |
| Isopropyl Alcohol | X | X | X | X | |
| 67-63-0 | | | | | |



International Regulations

Mexico

National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|-----------------------|-------------------|-------------------------------------|
| Ethyl Alcohol 62% v/v | | Mexico: TWA 1000 ppm |
| 64-17-5 (50 - 100) | | Mexico: TWA 1900 mg/m ³ |
| Glycerin | - | 10mg/m³ (mist) TWA |
| 56-81-5 (0 - 10) | | |
| Isopropyl Alcohol | | Mexico: TWA 400 ppm |
| 67-63-0 (0 - 10) | | Mexico: TWA 980 mg/m ³ |
| | | Mexico: STEL 500 ppm |
| | | Mexico: STEL 1225 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

B2 D2A



| 16. OTHER INFORMATION | | | | | | | |
|-----------------------|----------------|---|--------------|---|-----------------|---|---|
| NFPA | Health Hazards | 1 | Flammability | 3 | Instability 0 | | Physical and Chemical Hazards - N/A |
| HMIS | Health Hazards | 0 | Flammability | 3 | Physical Hazard | 0 | Personal Protection X |

Prepared By WERCS Professional Services, LLC

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date May 31, 2015

Revision Date None
Revision Note None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet

