Motorcraft.

SAFETY DATA SHEET

1. Identification

Product identifier	Active On-Demand Coupling Fluid
Other means of identification	
FIR No.	177448
Recommended use	Haldex coupler fluid
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Supplier	
Company Name	Ford Motor Company
Address	Attention: MSDS Information, P.O. Box 1899
	Dearborn, Michigan 48121
	USA
Telephone	1-800-392-3673
MSDS Information	1-800-448-2063
	msds@brownart.com
Emergency telephone	
numbers	
	Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	May irritate eyes and skin. May cause irritation of respiratory tract. May cause an allergic skin reaction.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), solvent-dewaxed heavy paraffinic		64742-65-0	90 - 100
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts		68649-42-3	1 - < 3

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Remove contaminated clothing immediately and wash skin with soap and water. Get medical Skin contact attention if irritation develops and persists. Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Eye contact Continue rinsing. Get medical attention if irritation develops and persists. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Direct contact with eyes may cause temporary irritation. Most important symptoms/effects, acute and delayed Treat symptomatically. Indication of immediate medical attention and special treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. 5. Fire-fighting measures Matar far . . . _

Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.	Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
the chemicalcarbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.	5 5	Do not use water jet as an extinguisher, as this will spread the fire.
and precautions for firefightersFire fightingMove containers from fire area if you can do so without risk.equipment/instructionsUse standard firefighting procedures and consider the hazards of other involved materials.		
equipment/instructionsSpecific methodsUse standard firefighting procedures and consider the hazards of other involved materials.		Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6 61	5 5	Move containers from fire area if you can do so without risk.
General fire hazards No unusual fire or explosion hazards noted.	Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
	General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapors. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage	Store in original tightly closed container. Store away from incompatible materials (see Section 10

Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air	Contaminants (29 CFR 1910.	1000)		
Components	Туре	Value	Form	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.	

Components	for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
		2000 mg/m3 500 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for the	ingredient(s).	
Appropriate engineering controls	Use adequate ventilation to control airborr user operations generate a vapor, dust an ventilation, or other engineering controls to exposure limits/guidelines.	d/or mist, use process en	closure, local exhaust
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or g	joggles).	
Skin protection			
Hand protection	Suitable chemical protective gloves should repeated skin exposure. The choice of an but also on other quality features and is dir rubber gloves are recommended.	appropriate glove does n	ot only depend on its material
Other	Wear suitable protective clothing. Wear ap	propriate chemical resist	ant clothing if applicable.
Respiratory protection	If engineering controls do not maintain airt protect worker health, an approved respira maintenance should be in accordance with Standard 29 CFR 1910.134 and/or Canad	tor must be worn. Respir	ator selection, use and HA Respiratory Protection
Thermal hazards	Wear appropriate thermal protective clothi	ng, when necessary.	
General hygiene considerations	Always observe good personal hygiene me and before eating, drinking, and/or smokin equipment to remove contaminants.		

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Light yellow.
Odor	Lubricant.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	374.0 °F (190.0 °C) ASTM D92
Evaporation rate	> 1 (BuAc=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.

Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	>1
Relative density	863 kg/m3 ASTM D 4052
Relative density temperature	59 °F (15 °C)
Solubility(ies)	
Solubility (water)	NEGLIGIBLE
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Kinematic viscosity	25 cSt ASTM D445
Kinematic viscosity temperature	104 °F (40 °C)
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	cts
Acute toxicity	May irritate eyes and skin. May cause respiratory irritation. May cause an allergic skin reaction.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Base oil severely refined: Not carcinogenic in animal studies. Representative material passes IP-346, Modified Ames test, and/or other screening tests.
OSHA Specifically Regulated	l Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Other adverse effects

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

IATA

<Unspecified>

Not regulated as dangerous goods.

IMDG

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc Listed. salts (CAS 68649-42-3)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard Not listed.	dous substance		
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
Phosphorodithioic acid, C salts),O-di-C1-14-alkyl esters, zinc	68649-42-3	1 - < 3
ther federal regulations			
Clean Air Act (CAA) Sectior	112 Hazardous Air Pollutant	s (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectior	n 112(r) Accidental Release Pr	revention (40 CFR	68.130)
Not regulated.			
Safe Drinking Water Act			
(SDWA)	Not regulated.		
	Not regulated.		
(SDWA) S state regulations	-	Justice (Californi	a Health and Safety Code Section 11100)
(SDWA) S state regulations	-	Justice (Californi	a Health and Safety Code Section 11100)
(SDWA) S state regulations US. California Controlled St	ubstances. CA Department of	Justice (Californi	a Health and Safety Code Section 11100)
(SDWA) S state regulations US. California Controlled So Not listed. US. Massachusetts RTK - S Distillates (petroleum), so	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio	c (CAS 64742-65-0)	a Health and Safety Code Section 11100)
(SDWA) S state regulations US. California Controlled So Not listed. US. Massachusetts RTK - S Distillates (petroleum), so US. New Jersey Worker and	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio I Community Right-to-Know A	c (CAS 64742-65-0) Act)
(SDWA) S state regulations US. California Controlled So Not listed. US. Massachusetts RTK - S Distillates (petroleum), so US. New Jersey Worker and Phosphorodithioic acid, C	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio	c (CAS 64742-65-0) Act salts (CAS 68649-4)
(SDWA) S state regulations US. California Controlled So Not listed. US. Massachusetts RTK - S Distillates (petroleum), so US. New Jersey Worker and Phosphorodithioic acid, C	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio I Community Right-to-Know A D,O-di-C1-14-alkyl esters, zinc s	c (CAS 64742-65-0) Act salts (CAS 68649-4)
 (SDWA) S state regulations US. California Controlled Son Not listed. US. Massachusetts RTK - Son Distillates (petroleum), son US. New Jersey Worker and Phosphorodithioic acid, Context Co	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio I Community Right-to-Know A D,O-di-C1-14-alkyl esters, zinc s	c (CAS 64742-65-0) Act salts (CAS 68649-4)
 (SDWA) S state regulations US. California Controlled Standard Not listed. US. Massachusetts RTK - S Distillates (petroleum), so US. New Jersey Worker and Phosphorodithioic acid, C US. Pennsylvania Worker and Not listed. US. Rhode Island RTK 	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio I Community Right-to-Know A D,O-di-C1-14-alkyl esters, zinc s	c (CAS 64742-65-0) Act salts (CAS 68649-4 v Law) 2-3)
 (SDWA) S state regulations US. California Controlled Standard Not listed. US. Massachusetts RTK - S Distillates (petroleum), so US. New Jersey Worker and Phosphorodithioic acid, C US. Pennsylvania Worker and Not listed. US. Rhode Island RTK 	ubstances. CA Department of ubstance List olvent-dewaxed heavy paraffinio I Community Right-to-Know D,O-di-C1-14-alkyl esters, zinc s nd Community Right-to-Know	c (CAS 64742-65-0) Act salts (CAS 68649-4 v Law) 2-3)

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is
Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided
Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided
This document was prepared by FCSD-TOXICOLOGY, FOR MOLOF COmpany, Diagnostic Service
This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service
Instability: 0
Flammability: 1
Health: 1
,
Physical hazard: 0
Flammability: 1
Health: 1
01
06-19-2015
06-19-2015