

**ASHLAND**  
**SAFETY DATA SHEET**

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

Page: 1  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone number	1-800-ASHLAND (1-800-274-5263)

Product name	NAPA® MPURP WHEEL BEARING GREASE GREASE
Product code	NP75601
Product Use Description	No data

**2. HAZARDS IDENTIFICATION**

**Emergency Overview**

Appearance: solid, amber

CAUTION! Moderate skin irritant, Moderate eye irritant.

**Potential Health Effects**

**Routes of exposure**

Skin contact

**Eye contact**

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

**Skin contact**

May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns.

**Ingestion**

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

**Inhalation**

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this

# ASHLAND

## SAFETY DATA SHEET

Page: 2  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

### Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin

### Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea)

### Target Organs

No data

### Carcinogenicity

No data

### Reproductive hazard.

No data

### Other information

No data

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Concentration
PETROLEUM BASED GREASE		<=100%

## 4. FIRST AID MEASURES

### Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

### Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

### Ingestion

# ASHLAND

## SAFETY DATA SHEET

Page: 3  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

Do not induce vomiting. Give one glass of milk or water, and get medical attention immediately. If possible, do not leave victim unattended.

### Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

### Notes to physician

**Hazards:** No information available.

**Treatment:** No information available.

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

carbon dioxide (CO<sub>2</sub>), dry chemical, foamcarbon dioxide (CO<sub>2</sub>), dry chemical, foam

### Hazardous combustion products

May form: carbon dioxide and carbon monoxide, various hydrocarbons

### Precautions for fire-fighting

Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid.

### Flammability Class for Flammable Liquids

Combustible Liquid Class IIIB

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

No data

### Environmental precautions

No data

### Methods for cleaning up

# **ASHLAND**

## **SAFETY DATA SHEET**

Page: 4  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

Shovel material into containers. Thoroughly sweep area of spill to clean up any residual material.

### **7. HANDLING AND STORAGE**

#### **Handling**

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

#### **Storage**

No data

### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Exposure Guidelines**

#### **General advice**

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

#### **Exposure controls**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

#### **Eye protection**

Wear safety glasses in compliance with OSHA regulations. (Consult your safety representative.)

#### **Skin and body protection**

Wear normal work clothing covering arms and legs. Wear resistant gloves such as: Neoprene

#### **Respiratory protection**

If workplace exposure limit(s) of product or any component is exceeded (see exposure guidelines), a NIOSH-approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH respirators

# ASHLAND

## SAFETY DATA SHEET

Page: 5  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

(negative pressure type) under specified conditions (see your industrial hygienist).  
Engineering or administrative controls should be implemented to reduce exposure.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
Form	Semisolid, gel,
Colour	amber
Odour	No data
Boiling point/range	700.0 °F / 371.1 °C
pH	No data
Flash point	450 °F / 232 °C
Evaporation rate	No data
Explosion limits	No data
Vapour pressure	No data
Vapour density	No data
Density	0.95 g/cm3 @ 60.1 °F / 15.6 °C
	No data
Solubility	No data
Partition coefficient (n-octanol/water)	No data
Autoignition temperature	No data

### 10. STABILITY AND REACTIVITY

#### Stability

Stable

#### Conditions to avoid

None known.

#### Incompatible products

Avoid contact with:, strong oxidizing agents

#### Hazardous decomposition products

May form:, carbon dioxide and carbon monoxide, various hydrocarbons

#### Hazardous reactions

Product will not undergo hazardous polymerization.

**ASHLAND**  
**SAFETY DATA SHEET**

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

Page: 6  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

**Thermal decomposition**  
No data

**11. TOXICOLOGICAL INFORMATION**

**Acute oral toxicity**

**Acute inhalation toxicity**

**Acute dermal toxicity**

**12. ECOLOGICAL INFORMATION**

**Aquatic toxicity**

**Acute and Prolonged Toxicity to Fish**  
No data

**Acute Toxicity to Aquatic Invertebrates**  
No data

**Environmental fate and pathways**  
No data

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods**  
Dispose of in accordance with all applicable local, state and federal regulations.

**14. TRANSPORT INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

**15. REGULATORY INFORMATION**

**California Prop. 65**



**ASHLAND**  
**SAFETY DATA SHEET**

NAPA® MPURP WHEEL BEARING  
GREASE GREASE NP75601

Page: 7  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

**SARA Hazard Classification**    Acute Health Hazard

**SARA 313 Component(s)**

**OSHA Hazards**                      Moderate skin irritant  
   Moderate eye irritant

	<b>Health</b>	<b>Flammability</b>	<b>Reactivity</b>	<b>Other</b>
<b>HMIS</b>				No data
<b>NFPA</b>	1	1	1	

**16. OTHER INFORMATION**

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).