

Revision Date 22-Jul-2015

Version 1

SAFETY DATA SHEET

	1. IDENTIFICATION
Product identifier	
Product Name	PC HIGH TACK 98 GASKET SEALANT 118 ML
Other means of identification	
Product Code	58981
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Sealant
Uses advised against	No information available
Details of the sumplice of the seferic	
Details of the supplier of the safety	
Manufacturer Address	<u>Distributor</u> ITW Permatex Canada
10 Columbus Blvd.	35 Brownridge Road, Unit 1
Hartford, CT 06106 USA	Halton Hills, ON Canada L7G 0C6
	Telephone: (800) 924-6994
Company Phone Number	1-87-Permatex
	(877) 376-2839
24 Hour Emergency Phone Number	
	International Emergency:
	00+1+ 813-248-0585
	Contract Number: MIS0003453
E-mail address	mail@permatex.com
	2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 2

Label elements

Emergency Overview

Danger



Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Aspiration hazard: Does not apply

Unknown acute toxicity

35.4066 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

CAS No	Weight-%	Trade Secret
67-64-1	15 - 40	*
68186-14-1	10 - 30	*
110-54-3	10 - 30	*
8050-09-7	7 - 13	*
9003-18-3	5 - 10	*
-	68186-14-1 110-54-3 8050-09-7 9003-18-3	68186-14-1 10 - 30 110-54-3 10 - 30 8050-09-7 7 - 13

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures		
General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Call a physician or poison control center immediately. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None.

Specific hazards arising from the chemical Extremely flammable.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective e	quipment and emergency procedures_	
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove all sources of ignition.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Remove all sources of ignition. Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Store locked up.	
Incompatible materials	Strong oxidizing agents	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONE	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
		(vacated) STEL: 2400 mg/m ³ The	
		acetone STEL does not apply to the	
		cellulose acetate fiber industry. It is	
		in effect for all other sectors	
		(vacated) STEL: 1000 ppm	
N-HEXANE	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	S*	TWA: 1800 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 180 mg/m ³
		(vacated) TWA: 180 mg/m ³	-

ROSIN	-	(vacated) TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ Formaldehyde
8050-09-7		Formaldehyde	
NIOSH IDLH Immediately Dangerou	s to Life or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers		
g	Eyewash stations		
	Ventilation systems		
Individual protection measures, su	ch as personal protective	equipment	
Eye/face protection	Wear safety glasses with	side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.		
Respiratory protection	Use NIOSH-approved air	purifying respirator with organic	vapor cartridge or canister, as
	appropriate.	· · ·	-
General Hygiene Considerations		h good industrial hygiene and saf	ety practice. Regular cleaning of
	equipment, work area and	d clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid Red Solvent No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> No information available No information available 57 °C / 135 °F	<u>Remarks • Method</u>
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	-18 °C / 0 °F > 1 No information available	Ether = 1
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	13.0% 2.0% 400 mm Hg 2.5	Air = 1
Relative density Water solubility Solubility in other solvents Partition coefficient	0.872 Partially soluble No information available No information available	, ui — 1
Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available	
Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available	
Other Information Softening point Molecular weight VOC Content (%)	No information available No information available 16.6%	

Density Bulk density

No information available No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May be harmful by inhalation. May cause drowsiness or dizziness.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Toxic if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE	= 5800 mg/kg (Rat)	-	= 50100 mg/m ³ (Rat) 8 h
67-64-1			
N-HEXANE	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
110-54-3		· · ·	
ROSIN	= 3 mg/kg (Rat) = 7600 mg/kg (> 2500 mg/kg (Rabbit)	= 1.5 mg/L (Rat)4 h
8050-09-7	Rat)	· · ·	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity IARC (International Agency for Res Not classifiable as a human carcinoge	
Target Organ Effects	Central nervous system, Eyes, Peripheral Nervous System (PNS), Respiratory system, Skin, Thyroid.
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)	l based on chapter 3.1 of the GHS document . 17 mg/kg 6387 mg/kg 178.2 mg/l 186367 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACETONE 67-64-1	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	
N-HEXANE	-	2.1 - 2.98: 96 h Pimephales	1000: 24 h Daphnia magna mg/L
110-54-3		promelas mg/L LC50 flow-through	EC50
ROSIN	400: 72 h Desmodesmus	-	3.8 - 5.4: 48 h Daphnia magna mg/L
8050-09-7	subspicatus mg/L EC50		EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
ACETONE	-0.24
67-64-1	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR
	261).

Contaminated packaging Do not reuse container.

D001

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETONE	-	Included in waste stream:	-	U002
67-64-1		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ACETONE 67-64-1	Ignitable
N-HEXANE 110-54-3	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID no	1133
Proper shipping name:	Adhesives, Limited Quantity (LQ)
Hazard Class	3

Packing Group Emergency Response Guide Number	ll 128
IATA UN/ID no Proper shipping name: Hazard Class ERG Code	ID 8000 Consumer commodity 9 9L
IMDG UN/ID no Proper shipping name: Hazard Class Packing Group EmS-No	1133 Adhesives, Limited Quantity (LQ) 3 II F-E, S-D

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed.
ENCS	Not Listed.
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
N-HEXANE - 110-54-3	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)

58981 - PC HIGH TACK 98 GASKET SEALANT 118 ML

ACETONE 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
N-HEXANE	5000 lb	-	RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
RHODAMINE - 81-88-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE 67-64-1	Х	X	X
N-HEXANE 110-54-3	Х	X	X
ROSIN 8050-09-7	-	-	X
RHODAMINE 81-88-9	Х	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 3	Instability 0
HMIS	Health hazards 2	Flammability 3	Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 22-Jul-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet