

infosafe cs: 1.11.141

Page: 1 of 4

Infosafe No™ VARG6

Issue Date :May 2016

ISSUED by HUNTER

Product Name HOOK OIL

Classified as hazardous

п		~ **	tifi	00	4	

GHS Product Identifier	HOOK OIL
Company Name	Hunter Industrials Pty Ltd (ABN 083 330 974)
Address	51-53 Lakewood Blvd Braeside Vic 3195 Australia
Telephone/Fax Number	Tel: (03) 9586 2888 Fax: (03) 9587 9851
Emergency phone number	0409 949 298
E-mail Address	sales@huntind.com.au
Recommended use of the chemical and restrictions on use	Corrosion prevention and lubricant oil.

2. Hazard Identification

GHS classification of the substance/mixture	Aspiration Hazard: Category 2 Eye Damage/Irritation: Category 2B		
Signal Word (s)	WARNING		
Hazard Statement (s)	H305 May be harmful if swallowed and enters airways. H320 Causes eye irritation		
Precautionary statement – General	P102 Keep out of reach of children. P103 Read label before use.		
Pictogram (s)	Health hazard		
Precautionary	P264 Wash contaminated skin thoroughly after handling		

i i ccautional y	1201 habi concaminacea phin energaging aroor hanaring
statement –	
Prevention	
Precautionary statement – Response	<pre>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 Do NOT induce vomiting. P337+P313 If eye irritation persists: Get medical advice/attention.</pre>
Precautionary statement – Storage	P404 Store in a closed container.
Precautionary statement – Disposal	P501 Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Heavy solvent-dewaxed paraffinic oil	64742-65-0	60-100 %
	Surfactants	N/A	10-30 %
	Other ingredients determined not to be hazardous	Not required	to 100%

4. First-aid measures



cs: 1.11.141

Page: 2 of 4

	Page: 2 OI
Infosafe No™	VARG6 Issue Date : May 2016 ISSUED by HUNTER
Product Name	HOOK OIL
	Classified as hazardous
Inhalation	Remove to fresh air. If rapid recovery does not follow, get medical aid.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water to be taken slowly. Give nothing by mouth to an unconscious person. Get medical aid. If aspiration of vomited material occurs, get immediate medical aid.
Skin	If skin contact occurs, remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothing before re-use. If in eyes, hold eyes open, flood with water for at least 15 minutes. If
Eye contact	irritation persists, see a doctor.
First Aid Facilities	Eye wash station and normal washroom facilities.
Advice to Doctor	Product is a mixture of paraffinic hydrocarbons and surfactants. Vomiting has not been induced because of risk of aspiration into the lungs. Contact Poisons Information Centre.
5. Fire-fighting me	asures
Suitable extinguishing media	Foam, dry powder.
Hazards from Combustion Products	Carbon dioxide, water vapour, sulphur dioxide, thick black smoke. Incomplet combustion may generate carbon dioxide.
Specific Methods	Fire fighters to wear self-contained breathing apparatus if risk of exposur to products of decomposition. If safe to do so, remove containers from path of fire.
Specific hazards arising from the chemical	Combustible liquid, flash point 205 °C. Contact with strong oxidising agent may cause fire.
6. Accidental relea	se measures
Spills & Disposal	Disposal of small spillages only. For large spillages liquids should be contained using sand or earth, and both liquids and solids then transferred to salvage containers. Residues should be treated as for small spillages. CAUTION: Before dealing with spillage take necessary protective measures, inform others to keep at a safe distance and, for flammable materials, shut off all possible sources of ignition. CARE! Spillages may be very slippery. Absorb on inert absorbent, transfer to container and arrange removal by disposals company. Wash site of spillag thoroughly with water and detergent. Ventilate area to dispel any residual vapour.
7. Handling and st	orage
Conditions for safe storage, including any incompatabilities	Store in a cool, well ventilated place, out of reach of children. Store as per the requirements of AS 1940 - The storage and handling of flammable and combustible liquids. Store in original container. Keep container tightly closed. Keep away from naked flames and other sources of ignition. No smoking. Keep away from oxidising agents. Protect from physical damage. Clean up all spills and splashes promptly; avoid secondary accidents.
8. Exposure contro	ols/personal protection
Other Exposure Information	Exposure standards: Oil Mist (mineral): TWA 5 mg/m3 STEL 10 mg/m3 TWA is the time weighted average concentration of the work atmosphere over normal 8-hour work day and a 40-hour work week. Nearly all workers may be repeatedly exposed to this level, day after day, without adverse effect. STEL is the short term exposure limit.
Appropriate engineering controls	If using in enclosed spaces, consider local mechanical exhaust/extraction t keep airborne contamination as low as possible.
Personal Protective Equipment	Wear PVC or suitable solvent gloves, waterproof footwear and eye protection If risk of splashes into eyes, wear safety glasses with side shields. If conditions cause vapour concentration to exceed TWA standards, or operator discomfort arises, wear a face mask fitted with organic vapour cartridges. Fresh air supply mask/hood should be used in poorly



infosafe cs: 1.11.141

Page: 3 of 4

Infosafe No™ VARG6

Issue Date :May 2016

ISSUED by HUNTER

Product Name HOOK OIL

Classified as hazardous

ventilated/enclosed areas. Always maintain a high level of personal hygiene when using this product. That is wash hands before eating, drinking, smoking or using the toilet.

9. Physical and chemical properties

Form	Liquid
Appearance	Brown viscous liquid
Odour	Characteristic hydrocarbon smell.
Boiling Point	>350 °C.
Solubility in Water	Not soluble
Specific Gravity	0.88
рН	Not applicable.
Vapour Pressure	Not applicable
Evaporation Rate	No data
Flash Point	205 °C
Flammability	Combustible liquid, flash point 205 °C. Keep away from oxidizing materials.
Auto-Ignition Temperature	No data
Flammable Limits - Upper	No data

10. Stability and reactivity

Chemical Stability	Stable under normal use conditons.
Conditions to Avoid	Heat, direct sunlight, open flames or other sources of ignition.
Incompatible	Strong alkali, acids, oxidising agents.
Materials Hazardous	Emits smoke and fumes when heated to decomposition.
Decomposition	
Products Possibility of	Do not mix with bleaches, acids, or other cleaning solutions.
hazardous reactions	

11. Toxicological Information

Acute Toxicity - Oral	No data.
Ingestion	May cause nausea and vomiting. Aspiration (liquid into lungs) of vomited material may cause pneumonitis. Unlikely to occur because of high viscosity of oil.
Inhalation	Mists may cause irritation of upper respiratory tract.
Skin	Irritant. Used cutting oils are more irritating than fresh.
Eye	Irritant.
Chronic Effects	Prolonged or repeated skin contact may lead to dermatitic effects. There is evidence that used cutting oils can cause skin cancer.

12. Ecological information

Ecotoxicity	In large concentrations may be harmful to the aquatic environment.
Persistence and degradability	Inherently biodegradable.
Mobility	Emulsifies in water.



Page: 4 of 4

Infosafe No™ VARG6

Issue Date : May 2016

ISSUED by HUNTER

Product Name HOOK OIL

Classified as hazardous

Environmental Avoid contaminating waterways, drains, sewers, or ground. **Protection**

13. Disposal considerations

Waste Disposal Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.

14. Transport information

TransportNot classified as a Dangerous Good according to the Australian Code for theInformationTransport of Dangerous Goods by Road and Rail.

15. Regulatory information

Poisons ScheduleS5AICS (Australia)All components listed.

16. Other Information

Itor o ther mornin			
Signature of Preparer/Data Service	Technical Manager 03 9580 2499		
Technical Contact Numbers	Emergency Advice All Hours: Tel: 0409 949 298 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs		
Other Information	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given belowEnd Of MSDS		
	© Copyright Chemical Safety International Pty Ltd		

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.