



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 18-Dec-2014

Revision Date 3-Mar-2017

Revision Number 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

Product Name SS-30™

### Other means of identification

Product Code(s) 125 (126 KOPR-SHIELD: CP-4, CP-8, CP-16, CP-128, CP12B, NDS20131879, 20131879, 201318791, A7297-1)

UN-Number UN3082

Synonyms JET-LUBE® SS-30™; THOMAS AND BETTS KOPR-SHIELD®

### Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

### Supplier's details

#### **Manufacturer Address**

Jet-Lube, LLC  
930 Whitmore Dr.  
Rockwall, Texas 75087  
TEL: 972-771-1000  
Toll Free: 1-800-669-6318

### Emergency telephone number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)  
1-800-424-9300 (NORTH AMERICA)

## 2. HAZARDS IDENTIFICATION

### Classification


This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization	Category 1
--------------------	------------

### GHS Label elements, including precautionary statements

#### Emergency Overview

Signal Word	Warning
Hazard Statements	
• May cause an allergic skin reaction	



**Appearance** Copper

**Physical State** Semi-fluid (gel).

**Odor** Petroleum like

**Precautionary Statements**

**Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves.

**General Advice**

- Specific treatment (see supplemental first aid instructions on this label)

**Skin**

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

**Storage**

- None

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

0% of the mixture consists of ingredient(s) of unknown toxicity.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Synonyms** JET-LUBE® SS-30™; THOMAS AND BETTS KOPR-SHIELD®

Chemical Name	CAS-No	Weight %	Trade secret
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	65-70	*
Copper	7440-50-8	25-30	*
Zinc, bis(dipentylcarbamodithioato-S,S')-, (T-4)-	15337-18-5	<1	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

**4. FIRST AID MEASURES**

**Description of necessary first-aid measures**

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.

<b>Skin Contact</b>	Wash skin with soap and water. If skin irritation persists, call a physician.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
<b>Ingestion</b>	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary
<b>Protection of First-aiders</b>	Use personal protective equipment.

**Most important symptoms/effects, acute and delayed****Most Important Symptoms/Effects** No information available.**Indication of immediate medical attention and special treatment needed, if necessary****Notes to Physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Water spray jet**Specific Hazards Arising from the Chemical**

No information available.

**Explosion Data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions** Use personal protective equipment. Keep people away from and upwind of spill/leak.**Environmental Precautions****Environmental Precautions** Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment.**Methods and materials for containment and cleaning up****Methods for Containment** Prevent further leakage or spillage if safe to do so.**Methods for Cleaning Up** Small spillage: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Large spillage: Dike far ahead of liquid spill for later disposal. Take up mechanically and collect in suitable container for disposal.**7. HANDLING AND STORAGE****Precautions for safe handling**

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

**Storage** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** Acids. Oxidizing agents. Acetylene. Vinyl compounds.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume	TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> dust and mist (vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	IDLH: 100 mg/m <sup>3</sup> dust, fume and mist TWA: 1 mg/m <sup>3</sup> dust and mist TWA: 0.1 mg/m <sup>3</sup> fume

*Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Measures** Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Ensure that eyewash stations and safety showers are close to the workstation location. Avoid exceeding of the given occupational exposure limits (see Section 8).

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.  
**Skin and Body Protection** Protective gloves. Lightweight protective clothing.  
**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

<b>Physical State</b>	Semi-fluid (gel)	<b>Appearance</b>	Copper
<b>Odor</b>	Petroleum like	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	Neutral	None known
Melting Point/Range	NONE	None known
Boiling Point/Boiling Range	> 315 °C	None known
Flash Point	> 310 °C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		

upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	1.20	None known
Water Solubility	Insoluble in water.	None known
Solubility in other solvents	Largely.	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

**Flammable Properties** Not flammable

**Explosive Properties** No data available

**Oxidizing Properties** No data available

#### Other information

**VOC Content (%)** None

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### Chemical stability

Stable under recommended storage conditions. Decomposes in contact with water.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Acids. Oxidizing agents. Acetylene. Vinyl compounds.

#### Hazardous decomposition products

Metal oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

##### Product Information

<b>Inhalation</b>	No known hazard by inhalation.
<b>Eye Contact</b>	No known hazard by eye contact
<b>Skin Contact</b>	No known hazard in contact with skin.
<b>Ingestion</b>	May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
---------------	-----------	-------------	-----------------

Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg ( Rat )	-	-
---	----------------------	---	---

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization** No information available.  
**Mutagenic Effects** No information available.  
**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product**

**Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.  
*The following values are calculated based on chapter 3.1 of the GHS document:*  
**LD50 Oral** 3266 mg/kg; Acute toxicity estimate

**12. ECOLOGICAL INFORMATION**

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

**Ecotoxicity**

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc. 74869-21-9	>1001 mg/l	LC50 96 h: > 2000 mg/L (Salmo gairdneri)		
Copper 7440-50-8	EC50 96 h: 0.031 - 0.054 mg/L static (Pseudokirchneriella subcapitata) EC50 72 h: 0.0426 - 0.0535 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: 0.0068 - 0.0156 mg/L (Pimephales promelas) LC50 96 h: < 0.3 mg/L static (Pimephales promelas) LC50 96 h: = 0.052 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.112 mg/L flow-through (Poecilia reticulata) LC50 96 h: = 0.2 mg/L flow-through (Pimephales promelas) LC50 96 h: = 0.3 mg/L semi-static (Cyprinus carpio) LC50 96 h: = 0.8 mg/L static (Cyprinus carpio) LC50 96 h: = 1.25 mg/L static (Lepomis macrochirus)	-	EC50 48 h: = 0.03 mg/L Static (Daphnia magna)

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Other Adverse Effects**

No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Copper	Toxic
Zinc, bis(dipentylcarbomodithioato-S,S')-, (T-4)-	Toxic

### 14. TRANSPORT INFORMATION

**DOT**

**UN-Number** UN3082  
**Proper shipping name** Environmentally hazardous substances, liquid, n.o.s.  
**Hazard Class** 9  
**Subsidiary Class**  
**Packing Group** III  
**Marine Pollutant** This product contains a chemical which is listed as a severe marine pollutant according to DOT.  
**Description** UN3082, Environmentally hazardous substances, liquid, n.o.s.(Copper), 9, , III,Marine Pollutant  
**Emergency Response Guide Number** 171

**TDG**

**UN-Number** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Copper), 9, III,Marine Pollutant

**MEX**

**UN-Number** UN3082  
**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082 Environmentally hazardous substances, liquid, n.o.s.(Copper), 9, III

**ICAO**

**UN-Number** UN3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III

**IATA**

**UN-Number** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**ERG Code** 9L

<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III
<b>IMDG/IMO</b>	
UN-Number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III
EmS No.	F-A, S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III,Marine Pollutant
<b>RID</b>	
UN-Number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III
Classification Code	M6
Description	UN3082 Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III
<b>ADR</b>	
UN-Number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III
Classification Code	M6
Tunnel Restriction Code	(E)
Description	UN3082 Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III(E)
<b>ADN</b>	
UN-No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III
Classification Code	M6
Special Provisions	274, 335, 601
Description	UN3082 Environmentally hazardous substance, liquid, n.o.s.(Copper), 9, III
Hazard Labels	9
Limited Quantity	LQ7

**15. REGULATORY INFORMATION**

**International Inventories**

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Copper	7440-50-8	25-30	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):



Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper		X	X	
Zinc, bis(dipentylcarbamodithioato -S,S)-, (T-4)-		X		

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Copper	X	X	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<b>NFPA</b>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b>HMIS</b>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship  
 23 British American Blvd.  
 Latham, NY 12110  
 1-800-572-6501

Issuing Date 18-Dec-2014  
 Revision Date 3-Mar-2017  
 Revision Note Updated company information

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**