

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Seam Sealer

Other means of identification

FIR No. 192914

Recommended use Seam sealer

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

 Telephone
 1-800-392-3673

 MSDS Information
 1-800-448-2063

msds@brownart.com

**Emergency telephone** 

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

## 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

May be harmful if swallowed. May irritate eyes and skin. May cause irritation of respiratory tract.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
Limestone		1317-65-3	50 - < 60	
CARBON BLACK		1333-86-4	3 - < 5	

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Immediately take off all contaminated clothing.

FIR No.: 192914 SDS US
Version: 01 1 / 6

Issue Date: 05-19-2015

Eye contact Get medical attention if irritation develops and persists.

Coughing.

Ingestion Call a physician or poison control center immediately. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

protect themselves.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

# 5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use fire-extinguishing media Suitable extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Avoid inhalation of vapors. Avoid contact with eyes, skin, and clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Avoid prolonged exposure. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	PEL	3.5 mg/m3	
Limestone (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
<b>US. ACGIH Threshold Limit</b>	Values		
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	0.1 mg/m3	
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
ogical limit values	No biological exposure limits noted for the in	gredient(s).	

FIR No.: 192914 SDS US 2/6 Version: 01

Issue Date: 05-19-2015

Appropriate engineering

controls

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust

ventilation, or other engineering controls to control airborne levels below the recommended

exposure limits/guidelines.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Suitable chemical protective gloves should be worn when the potential exists for prolonged or

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Use protective

gloves made of: Nitrile. Neoprene. Rubber gloves.

Other Wear suitable protective clothing. Wear appropriate chemical resistant clothing if applicable.

If engineering controls do not maintain airborne concentrations to a level which is adequate to Respiratory protection

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Solid. Physical state Paste. **Form** Color Black. Odor Mild.

**Odor threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

201.0 °F (93.9 °C) SCC Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. > 1 (AIR=1) Vapor density

1.4 Relative density

39.2 °F (4 °C) Relative density temperature

Solubility(ies)

INSOLUBLE IN WATER Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** 

FIR No.: 192914 SDS US

Issue Date: 05-19-2015

Other information

0 % VOC (Weight %)

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents. Fluorine.

Coughing.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular **Hazardous decomposition** 

weight hydrocarbons. products

## 11. Toxicological information

#### Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Not available.

Eye contact Direct contact with eyes may cause temporary irritation.

May be harmful if swallowed. May cause discomfort if swallowed. However, ingestion is not likely Ingestion

to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and

toxicological characteristics

### Information on toxicological effects

**Acute toxicity** 

Components **Species** Calculated/Test Results

CARBON BLACK (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenic effects are not expected as a result of occupational exposure. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBON BLACK (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. **Chronic effects** 

This product has no known adverse effect on human health. **Further information** 

FIR No.: 192914 SDS US

4/6

Issue Date: 05-19-2015

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

IATA

<Unspecified>

Not regulated as dangerous goods.

**IMDG** 

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

FIR No.: 192914 SDS US 5/6

Issue Date: 05-19-2015

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations Not applicable.

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

## **US. Massachusetts RTK - Substance List**

CARBON BLACK (CAS 1333-86-4)

Limestone (CAS 1317-65-3)

#### US. New Jersey Worker and Community Right-to-Know Act

CARBON BLACK (CAS 1333-86-4) Limestone (CAS 1317-65-3)

## US. Pennsylvania Worker and Community Right-to-Know Law

CARBON BLACK (CAS 1333-86-4) Limestone (CAS 1317-65-3)

### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

Not applicable.

#### **International Inventories**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

## 16. Other information, including date of preparation or last revision

**Issue date** 05-19-2015

Version # 01

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Preparation Information and** 

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer

packaged product labels, the SDS should be followed.

Part number(s) TA-2-B

FIR No.: 192914 SDS US

6/6