

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier Plastic Bonding Adhesive** 

Other means of identification

FIR No. 159252

Recommended use Structural Urethane Adhesive

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

**Company Name** Ford Motor Company

**Address** Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

1-800-392-3673 **Telephone MSDS Information** 1-800-448-2063

msds@brownart.com

**Emergency telephone** 

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, inhalation Category 2

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Sensitization, respiratory Category 1 Sensitization, skin Category 1 Carcinogenicity Category 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated exposure

Category 2

Not classified. **Environmental hazards** 

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Fatal if **Hazard statement** 

inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through

prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

FIR No.: 159252 SDS US

Issue Date: 05-20-2015

1/7 Version: 01

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Immediately call a poison

center/doctor. Take off contaminated clothing and wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

May be harmful if swallowed.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
4,4'-Methylenediphenyl diisocyanate		101-68-8	10 - < 20
Aromatic polyisocyanate		Trade Secret	10 - 20

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

or poison control center immediately.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Call a physician or poison control center immediately. Do not induce vomiting.

**Most important** 

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Powder. Alcohol foam. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

Special protective equipment and precautions for firefighters

weight hydrocarbons. Container may explode in heat of fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

FIR No.: 159252 SDS US

Issue Date: 05-20-2015

Version: 01

2/7

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes, skin, and clothing. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will sediment in water systems.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits

0.2 mg/m3  0.02 ppm  0.2 mg/m3  0.02 ppm
0.2 mg/m3 0.02 ppm
0.02 ppm
Value
Value
value
0.005 ppm
0.005 ppm
Value
0.2 mg/m3
0.02 ppm
0.05 mg/m3
0.005 ppm
0.2 mg/m3
0.02 ppm
0.05 mg/m3
0.005 ppm

# Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

General ventilation normally adequate. Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.

FIR No.: 159252 SDS US

Issue Date: 05-20-2015

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Suitable chemical protective gloves should be worn when the potential exists for prolonged or

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Use protective

gloves made of: Nitrile. Neoprene. Rubber gloves.

Other Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant clothing if

applicable.

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is adequate to

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Tan.
Odor Odorless.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

range

Flash point > 199.4 °F (> 93.0 °C) SETAFLASH

Evaporation rate < 1 (BuAc=1)
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Initial boiling point and boiling

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1 (AIR=1)

Relative density 1.41

Relative density temperature 39.2 °F (4 °C)

Solubility(ies)

Solubility (water) INSOLUBLE IN WATER

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

VOC (Weight %) 0 g/l

FIR No.: 159252 SDS US

4/7

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Water. Acids. Strong oxidizing agents. Amines. Alcohols.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight

hydrocarbons.

# 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** May cause damage to organs through prolonged or repeated exposure by inhalation. May cause

allergy or asthma symptoms or breathing difficulties if inhaled. May be harmful if inhaled.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

Ingestion May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational

exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Coughing. Difficulty in breathing. Skin irritation. May cause

redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

#### Information on toxicological effects

**Acute toxicity** Fatal if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.

Components Species Calculated/Test Results

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Acute Inhalation

LC50 Rat 0.369 mg/l, 4 Hours

Aromatic polyisocyanate (CAS Trade Secret)

Acute Inhalation

LC50 Rat 0.369 mg/l, 4 Hours

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

# IARC Monographs. Overall Evaluation of Carcinogenicity

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)
Aromatic polyisocyanate (CAS Trade Secret)

3 Not classifiable as to carcinogenicity to humans.
3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Skin. May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Skin. Lungs. Respiratory tract. May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard Not an aspiration hazard.

FIR No.: 159252 SDS US

5/7

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

**IATA** 

<Unspecified>

Not regulated as dangerous goods.

**IMDG** 

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8) Listed. Aromatic polyisocyanate (CAS Trade Secret) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

FIR No.: 159252 SDS US

6/7

Issue Date: 05-20-2015

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4,4'-Methylenediphenyl diisocyanate	101-68-8	10 - < 20	
Aromatic polyisocyanate	Trade Secret	10 - 20	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Aromatic polyisocyanate (CAS Trade Secret)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Aromatic polyisocyanate (CAS Trade Secret)

#### US. New Jersey Worker and Community Right-to-Know Act

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Aromatic polyisocyanate (CAS Trade Secret)

#### US. Pennsylvania Worker and Community Right-to-Know Law

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Aromatic polyisocyanate (CAS Trade Secret)

#### **US. Rhode Island RTK**

4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8)

Aromatic polyisocyanate (CAS Trade Secret)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

# 16. Other information, including date of preparation or last revision

**Issue date** 05-20-2015

Version # 01

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Preparation Information and** 

**Disclaimer** 

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.

pastagea product assets, and of oriental

Part number(s) TA-9

FIR No.: 159252 SDS US

7/7