

## SAFETY DATA SHEET

### 1. Identification

Product identifier Specialty Green Engine Coolant with Bittering Agent

Other means of identification

**FIR No.** 184300

Recommended use Engine antifreeze/coolant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

**Supplier** 

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

 Telephone
 1-800-392-3673

 MSDS Information
 1-800-448-2063

msds@brownart.com

**Emergency telephone** 

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Reproductive toxicity (fertility)

Specific target organ toxicity, single exposure

Specific target organ toxicity, repeated

Category 1

Category 1

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Harmful if swallowed. May damage fertility. Causes damage to organs. Causes damage to organs

through prolonged or repeated exposure. Harmful to aquatic life. Harmful to aquatic life with long

lasting effects.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink

or smoke when using this product. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If exposed: Call a poison

center/doctor.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

FIR No.: 184300 SDS US

Issue Date: 11-20-2015

Version: 02

1/8

Hazard(s) not otherwise classified (HNOC)

Aspiration may cause pulmonary edema and pneumonitis. HARMFUL OR FATAL IF

SWALLOWED.

Vapors have a narcotic effect and may cause headache, fatique, dizziness and nausea. Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with throat

discomfort, coughing or difficulty breathing. Causes skin and eye irritation.

Supplemental information

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name               | Common name and synonyms | CAS number   | %         |
|-----------------------------|--------------------------|--------------|-----------|
| Ethane-1,2-diol             |                          | 107-21-1     | 80 - < 90 |
| Organic acid potassium salt |                          | Trade Secret | 1 - 8     |
| 2,2'-Oxydiethanol           |                          | 111-46-6     | <= 1      |

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

**General information** 

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Abdominal pain. Convulsions. Dizziness. Nausea, vomiting. Prolonged exposure may cause

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

chronic effects.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Powder. Alcohol resistant foam. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk. Move containers from fire area if you

can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

FIR No.: 184300 SDS US 2/8 Version: 02

Issue Date: 11-20-2015

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment, Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

### **US. ACGIH Threshold Limit Values**

| Components   | Туре    | Value     | Form     |  |  |  |  |
|--|---------|-----------|----------|--|--|--|--|
| Ethane-1,2-diol (CAS 107-21-1)                           | Ceiling | 100 mg/m3 | Aerosol. |  |  |  |  |
| US. Workplace Environmental Exposure Level (WEEL) Guides |         |           |          |  |  |  |  |
| Components   | Туре    | Value     |          |  |  |  |  |
| 2,2'-Oxydiethanol (CAS<br>111-46-6)                      | TWA     | 10 mg/m3  |          |  |  |  |  |

## **Biological limit values**

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.

### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Suitable chemical protective gloves should be worn when the potential exists for prolonged or Hand protection

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Neoprene gloves

are recommended. Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing if applicable.

If engineering controls do not maintain airborne concentrations to a level which is adequate to Respiratory protection

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

## **Appearance**

**Physical state** Liquid.

FIR No.: 184300 SDS US Version: 02

Issue Date: 11-20-2015

Form Liquid.
Color Dark green.
Odor Characteristic.
Odor threshold Not available.

pH 7.7 pH concentration 50 % v/v

Melting point/freezing point  $< 5 \degree F (< -15 \degree C) (< 5F)$ 

Initial boiling point and boiling

range

> 299.84 °F (> 148.8 °C) (>300F)

Flash point 257.9 °F (125.5 °C) CALCULATED

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.13

Relative density temperature 68 °F (20 °C)

Solubility(ies)

Solubility (water) COMPLETE
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or

repeated exposure by inhalation. May cause irritation to the respiratory system. Prolonged

inhalation may be harmful.

**Skin contact** May be irritating to the skin.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion HARMFUL OR FATAL IF SWALLOWED.

Symptoms related to the physical, chemical and toxicological characteristics

Abdominal pain. Convulsions. Dizziness. Nausea, vomiting.

## Information on toxicological effects

FIR No.: 184300 SDS US

4/8

Components

HARMFUL OR FATAL IF SWALLOWED.

May be fatal if swallowed and enters airways. May cause respiratory irritation. In high

concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central

Calculated/Test Results

nervous system effects.

**Species** 

| Components                           | Species  | Calculated/Test Results  |  |
|--------------------------------------|--|--------------------------|--|
| 2,2'-Oxydiethanol (CAS 111-46-6)     | ,  |                          |  |
| Acute                                |  |                          |  |
| Dermal                               |  |                          |  |
| LD50                                 | Rabbit   | 11890 mg/kg              |  |
| Oral                                 |  |                          |  |
| LD50                                 | Cat  | 3300 mg/kg               |  |
|                                      | Dog  | 9000 mg/kg               |  |
|                                      | Guinea pig   | 8700 mg/kg               |  |
|                                      | Mouse  | 13.3 g/kg                |  |
|                                      | Rabbit   | 26.9 g/kg                |  |
|                                      | Rat  | 12565 mg/kg              |  |
| Ethane-1,2-diol (CAS 107-21-1)       |  |                          |  |
| Acute                                |  |                          |  |
| Dermal                               |  |                          |  |
| LD50                                 | Rabbit   | 9530 mg/kg               |  |
| Oral                                 |  |                          |  |
| LD50                                 | Cat  | 1650 mg/kg               |  |
|                                      | Dog  | 5500 mg/kg               |  |
|                                      | Guinea pig   | 8.2 g/kg                 |  |
|                                      | Mouse  | 14.6 g/kg                |  |
|                                      | Rat  | 5.89 g/kg                |  |
| Skin corrosion/irritation            | Prolonged skin contact may caus  | se temporary irritation. |  |
| Serious eye damage/eye<br>irritation | Direct contact with eyes may cause temporary irritation.   |                          |  |
| Respiratory or skin sensitizatio     | n  |                          |  |
| Respiratory sensitization            | Not a respiratory sensitizer.  |                          |  |
| Skin sensitization                   | This product is not expected to cause skin sensitization.  |                          |  |
| Germ cell mutagenicity               | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |                          |  |
| Carcinogenicity                      | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |                          |  |
| OSHA Specifically Regulate           | ed Substances (29 CFR 1910.1001  | -1050)                   |  |

Not listed.

Components in this product have been shown to cause birth defects and reproductive disorders in Reproductive toxicity

laboratory animals. May damage fertility.

Specific target organ toxicity -

single exposure

**Aspiration hazard** 

Causes damage to organs. Lungs. Central nervous system. Heart. Blood. Kidneys.

Heart. Kidneys. Blood. Central nervous system. Lungs. Causes damage to organs through Specific target organ toxicity repeated exposure

prolonged or repeated exposure.

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary

Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be **Chronic effects** 

harmful.

injury or death.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

FIR No.: 184300 SDS US

Issue Date: 11-20-2015

**Ecotoxicity** 

Components Calculated/Test Results Species

2,2'-Oxydiethanol (CAS 111-46-6)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours

Ethane-1,2-diol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Organic acid potassium salt (CAS Trade Secret)

**Aquatic** 

Fish LC50 Goldfish (Carassius auratus) 4 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethane-1,2-diol -1.36

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

ΙΔΤΔ

<Unspecified>

Not regulated as dangerous goods.

**IMDG** 

<Unspecified>

Not regulated as dangerous goods.

Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethane-1,2-diol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

FIR No.: 184300 SDS US

Issue Date: 11-20-2015

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

| Chemical name   | CAS number | % by wt.  |
|-----------------|------------|-----------|
| Ethane-1,2-diol | 107-21-1   | 80 - < 90 |

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethane-1,2-diol (CAS 107-21-1)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

### US. Massachusetts RTK - Substance List

Ethane-1,2-diol (CAS 107-21-1)

## US. New Jersey Worker and Community Right-to-Know Act

Ethane-1,2-diol (CAS 107-21-1)

### US. Pennsylvania Worker and Community Right-to-Know Law

2.2'-Oxydiethanol (CAS 111-46-6) Ethane-1,2-diol (CAS 107-21-1)

### **US. Rhode Island RTK**

Ethane-1,2-diol (CAS 107-21-1)

## **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

## 16. Other information, including date of preparation or last revision

11-20-2015 Issue date **Revision date** 11-20-2015

Version # 02

Health: 1 **HMIS®** ratings

Flammability: 1 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

FIR No.: 184300 SDS US 7/8

Issue Date: 11-20-2015

**Preparation Information and Disclaimer** 

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.

**Revision Information** 

Exposure controls/personal protection: Appropriate engineering controls

Toxicological Information: Toxicological Data Regulatory information: California Prop 65

Part number(s)

VC-10-A1, VC-10-A2

SDS US FIR No.: 184300 Version: 02

Issue Date: 11-20-2015