

SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Prevantics® Swab, Swabstick and Maxi Swabstick SDS No.0001

Other means of identification Not available

Recommended use For the preparation of the patient's skin prior to an injection/surgery.

Recommended restrictions For Professional and Hospital Use

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Professional Disposables International, Inc.

Address Two Nice-Pak Park

Orangeburg, NY 10962-1376

Telephone Phone (USA) 1-845-365-1700 (M-F 9am - 5pm)

E-mail pdihc.com

Emergency phone number 1-800-999-6423

2. Hazards Identification

Physical hazardsFlammable solidsCategory 1Health hazardsSerious eye damage/eye irritationCategory 1

Environmental hazards Not determined.

OSHA defined hazards None additional.

Label elements



Signal word Warning

Hazard statement Flammable solid.

Causes serious eye damage.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use only in a well-ventilated area.

Wear gloves/eye protection.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Isopropanol		67-63-0	70(v/v)	
Chlorhexidine gluconate		18472-51-0	3.15(w/v)	

Composition comments Active ingredient(s) are listed above.

4. First Aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

In case of skin irritation, discontinue use of product. Wash off with soap and water. Get medical Skin contact

attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion If swallowed, get medical help or contact a Poison Control Center immediately. Immediately rinse mouth out with water. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward

to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Most important

symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Permanent eye damage including blindness could result.

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically.

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Use with care in premature infants or infants under 2 months of age, These products may cause irritation or chemical burns.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

General fire hazards

Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical.

Not available.

During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.

Flammable solid.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). For waste disposal, see Section 13 of the SDS.

Never return spills in original containers for re-use. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Avoid discharge into water courses.

7. Handling and Storage

Precautions for safe handling

WARNING

Flammable, keep away from fire or flame.

For external use only.

Do not use with electrocautery procedures.

Do not use under occlusive patches.

Use according to package label instructions.

Do not use on on patients with known allergies to chlorhexidine gluconate or isopropyl alcohol. Do not use for lumbar puncture or in contact with the meninges. Do not use on open wounds or as a general skin cleanser.

Discard after single use.

Wear appropriate personal protective equipment.

Do not get this material in contact with eyes.

Avoid prolonged exposure. Provide adequate ventilation.

Do not handle, store or open near an open flame, sources of heat or sources of ignition.

Observe good industrial hygiene practices.

Use care in handling/storage.

#21257 Page: 2 of 7 Issue date 08-October-2014 Conditions for safe storage, including any incompatibilities

Store between 68°F and 77°F (20°C - 25°C). Do not store at temperatures above 40°C (104°F).

Keep from freezing.

For hospital and professional use only.

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight.

Store in a well-ventilated place.

Store in original tightly closed container.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Isopropanol (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines See above

Appropriate engineering

controls

Ensure adequate ventilation. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear gear as deemed necessary. Follow label directions.

TWA

Skin protection

Hand protection Wear as deemed necessary, follow label directions.

Other Follow label directions carefully.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using do not smoke. When using do not eat or drink.

980 mg/m3 400 ppm

9. Physical and Chemical Properties

Appearance Liquid Saturated Swab and Swabstick

Physical state Solid.

Form Solid containing liquid.

Color Clear colorless
Odor Mild alcohol.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

•

range

#21257 Page: 3 of 7 Issue date 08-October-2014

Pour point Not available. Not available. Specific gravity **Partition coefficient** Not available.

(n-octanol/water)

78.0 °F (25.6 °C) Tag Closed Cup Flash point

Evaporation rate Not available. Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available.

Vapor density Not available. Relative density Not available. Solubility(ies) Not available. Auto-ignition temperature **Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and Reactivity

This product may react with strong oxidizing agents. Reactivity

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Chemical stability Material is stable under normal conditions.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Do not mix with other chemicals.

Do not use hypochlorite bleach on fabrics exposed to Chlorhexidine Gluconate.

Incompatible materials

Strong oxidizing agents. Anionic surfactants. Soaps. Hypochlorite bleach

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.

Ammonia.

Toxicological Information

Information on likely routes of exposure

Ingestion Not applicable under normal conditions of use.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Inhalation

Health injuries are not known or expected under normal use.

Not expected to be a primary skin irritant. Skin contact

Eye contact Causes irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye

damage including blindness could result.

Information on toxicological effects

Acute toxicity Narcotic effects

Test Results Components **Species**

Chlorhexidine gluconate (CAS 18472-51-0)

Acute

LC50 Not available

Oral

LD50 Mouse 1260 mg/kg

Rat 2000 mg/kg

#21257 Page: 4 of 7 Issue date 08-October-2014 Components **Species Test Results** Isopropanol (CAS 67-63-0) Acute Dermal LD50 Rabbit 12800 mg/kg Inhalation LC50 Rat 16970 mg/l/4h Oral LD50 Dog 4797 mg/kg Mouse 3600 mg/kg Rabbit 5030 mg/kg Rat 4396 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Exposure minutes** Not available. Erythema value Not available. Oedema value Not available. Causes irritation. irritation

Serious eye damage/eye

Not available. Corneal opacity value Not available. Iris lesion value Conjunctival reddening Not available.

value

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitization

Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity The finished product is not expected to have chronic health effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

The finished product is not expected to have chronic health effects. Reproductive toxicity

Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Narcotic effects.

Aspiration hazard Not classified.

Prolonged inhalation may be harmful. **Chronic effects**

Further information Not available.

12. Ecological Information

Ecotoxicity See below Components **Species Test Results** Isopropanol (CAS 67-63-0) IC50 1000 mg/L, 72 Hours Algae Algae EC50 13299 mg/L, 48 Hours Crustacea Daphnia Aquatic LC50 Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours Fish

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Isopropanol 0.05

Mobility in soil No data available. Not available. Mobility in general

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Follow container label directions carefully. Do not reuse swab/swabstick. Dispose of used

swab/swabstick in trash. Do not flush in toilet. Do not reuse empty container. Wrap container and

put in trash collection. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

nised

Dispose in accordance with all applicable regulations. Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Special Provision 47

15. Regulatory Information

US federal regulations

This product is regulated by the US FDA as a drug product.

FDA Registration No: 021524

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0)

Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous chemical

No

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Isopropanol
 67-63-0
 70(v/v)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

US state regulations

Not regulated.

Administration (FDA)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Hazardous Substances (Director's): Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

#21257 Page: 6 of 7 Issue date 08-October-2014

US - Illinois Chemical Safety Act: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Minnesota Haz Subs: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List

Isopropanol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Isopropanol (CAS 67-63-0) Listed.

US. Rhode Island RTK

Isopropanol (CAS 67-63-0) Listed.

Country(s) or region Inventory name

On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Vo

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

08-October-2014

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

DO NOT USE IF PACKAGE IS OPENED.

Registration Numbers:

B10800- NDC 10819-1080-1 B11400- NDC 10819-1080-2 S40750- NDC 10819-4075-1 S32450- NDC 10819-4075-2 S42850- NDC 10819-4075-5 S41950- NDC 10819-4075-4

S27350- NDC 10819-4075-3

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

#21257 Page: 7 of 7 Issue date 08-October-2014